

# PARTS CLEANER



## DIP TANKS

- Manually operated covers which stay open for convenient access
- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F to snap the cover shut in case of fire
- Constructed of 24-gauge coated steel, durable powder coat paint finish for long use
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals

SD562



Model No.	Description	Outside Dim.			Approved Regulation	Wt. lbs/kg	Price /Each
		Dia."	x	H"			
SD561	1-gallon steel dip tank	9 3/8	x	5 1/2	FM,UL	5/2.3	
SD562	2-gallon steel dip tank	9 3/8	x	10	FM,UL	6/2.7	
SD563	3.5-gallon steel dip tank	11 3/8	x	11 1/4	FM,UL	8/3.6	
SD564	5-gallon steel dip tank	13 3/4	x	13	FM,UL	10/4.5	
WN969	5-gallon steel dip tank w/HDPE liner	13 3/4	x	13	FM	12/5.5	
WN970	8-gallon steel dip tank	15 5/8	x	14 1/4	FM,UL	13/5.9	

## BENCH CANS

- Spring-loaded, perforated plated steel dasher plate
- Simply press down and agitate, then release to return to drain position
- Effective flame arrester
- Hinged cover minimizes evaporation losses
- Protected rim reduces the possibility of hand injury
- 24-gauge premium coated steel
- Powder coat paint finish adds durability



AB491



Model No.	Description	Dasher Dia."	Outside Dim.			Approved Regulation	Wt. lbs/kg	Price /Each
			Dia."	x	H"			
WN978	1-quart steel bench can	4 1/2	4 7/8	x	5 1/2	FM	2/0.9	
AB491	2-quart steel bench can	7 1/2	9 3/8	x	3 1/4	FM	4/1.8	
AB492	1-gallon steel bench can	7 1/2	9 3/8	x	4 1/2	FM	5/2.3	
WN979	1-gallon steel bench can w/parts basket	7 1/2	9 3/8	x	4 1/2	FM	5/2.3	
AB493	2-gallon steel bench can	9 3/4	11 1/2	x	5 3/8	FM	8/3.6	
AB494	3-gallon steel bench can	12 1/8	13 1/2	x	6	FM	9/4.1	
WN980	Optional 24-gauge parts basket	-	6 7/16	x	7/16	-	1/0.5	

## WASH TANKS

- Cover opens wide for access
- Integral parts basket facilitates washing quantities of small parts quickly
- Can and basket are made of sturdy 24-gauge coated steel
- After cleaning, the basket is positioned at the top of the tank to allow solvent to drain
- Cover is equipped with a self-closing mechanism and fusible link which melts at 165°F and snaps the cover shut in case of fire
- Available with polyethylene liner for outstanding chemical resistance to harsh, corrosive chemicals

SM432



Model No.	Description	Outside Dim.			Approved Regulation	Wt. lbs/kg	Price /Each
		Dia."	x	H"			
WN971	1-gallon steel wash tank w/basket	9 3/8	x	10	FM,UL	7/3.2	
WN972	2-gallon steel wash tank w/basket	11 3/8	x	11 1/4	FM,UL	9/4.1	
WN973	3.5-gallon steel wash tank w/basket	13 3/4	x	13	FM,UL	12/5.5	
WN974	3.5-gallon steel wash tank w/HDPE liner and basket	13 3/4	x	13	FM	14/6.4	
SM432	6-gallon steel wash tank w/basket	15 5/8	x	14 1/4	FM,UL	16/7.3	

## RINSE TANKS

- Large parts (up to 16" x 35") can be totally immersed
- Heavy-duty, 18-gauge coated steel construction
- Tough powder coat paint finish for superior durability and chemical resistance

### FLOOR STANDING RINSE TANKS

- Supported on a sturdy stand, 33" height for convenient access whether standing or seated
- Self-closing cover is foot-treadle operated so it can be opened by a worker with both hands full
- Adjustable-rate pneumatic cylinder prevents cover from slamming shut instantly
- A 3/4" drain plug for easy solvent replacement



### BENCH TOP RINSE TANKS

- Sit conveniently on work bench or counter for easy access
- Lift-and-latch style cover has fusible link that melts at 165°F and closes the cover in case of fire
- A 3/4" drain plug allows for easy solvent replacement

### SEDIMENT SCREENS

- 26-gauge premium coated steel
- Rests at bottom of tank to catch grime as it settles and allows for easy cleaning during solvent change

### PARTS BASKETS

- 26-gauge premium coated steel
- Carries numerous smaller parts to be washed in a single action

### TANKS

Model No.	Description	Dimensions				Approved Regulation	Wt. lbs/kg	Price /Each
		L"	x	W"	x D"			
<b>FLOOR STANDING &amp; BENCH TOP RINSE TANKS</b>								
SM434	11-gallon steel floor standing rinse tank	24	x	16	x 8 3/4	FM	60/27	
SM431	11-gallon steel bench top rinse tank	24	x	16	x 8 3/4	FM	29/13	
SM433	22-gallon steel floor standing rinse tank	35 1/4	x	16	x 12	FM	78/35	
WN975	22-gallon steel bench top rinse tank	35 1/4	x	16	x 12	FM	48/22	
<b>TWIN CHAMBER RINSE TANKS</b>								
WN976	2 x 4-gallon steel floor standing rinse tank	24	x	16	x 8 3/4	FM	62/28	
WN977	2 x 9-gallon steel floor standing rinse tank	35 1/4	x	16	x 12	FM	80/36	

### SEDIMENT SCREENS & PART BASKETS

Model No.	Description	Dimensions				Wt. lbs/kg	Price /Each
		L"	x	W"	x D"		
SM437	Sediment screen for tank models SM434 and SM431	23	x	13 3/4	x 3/4	3/1.4	
SM436	Sediment screen for rinse tank models SM433 and WN975	35	x	13 3/4	x 3/4	4/1.8	
SM430	Parts basket for rinse tank models SM434 and SM431	16	x	13	x 4	4/1.8	
SM428	Parts basket for rinse tank models SM433 and WN975	28	x	13	x 4	6/2.7	



SM433



## STEEL FUNNELS WITH EXTENSION

- Galvanized steel funnel comes with a flexible extension
- 1/2" diameter hose for 1-pint model, 3/4" diameter for larger sizes

Model No.	Cap.	Top Dia."	Hose Spout Length"	Spout Dia."	Price /Each
NB027	1 pint	4 3/4	9	3/8	
NB028	1 quart	5 7/8	8	1/2	
NB025	1/2 gal.	7 5/8	8 1/2	1/2	
NB026	1 gal.	8 7/8	10	1/2	




NB028

## STEEL FUNNELS WITH EXTENSION

- 8 3/4" diameter galvanized steel funnel with brass screen strainer
- 16" long flexible extension
- 15/16" spout diameter
- Capacity: 2 gallons
- Suitable for use with tractors

Model No. NB001  
Price/Each \$




NB001

## STRAINER FUNNELS

- Tin strainer funnels have a built-in screen that prevents the flow of harmful particles into the liquid

Model No.	Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."	Price /Each
NB069	1 pint	4 3/4	3 7/16	2 1/16	3/8	
NB070	1 quart	5 3/4	4 5/16	2 3/8	1/2	
NB067	1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	
NB068	1 gal.	8 3/4	6 1/2	3 1/2	3/4	



NB070

## UTILITY FUNNELS

- Lightweight tin and galvanized steel funnels available in capacities from 1 pint to 1 gallon

Cap.	Top Dia."	Body Ht."	Spout Ht."	Spout Dia."	Tin Model No.	Price /Each	Galv. Model No.	Price /Each
1 pint	4 3/4	3 7/16	2 1/16	3/8	NB077		NB031	
1 quart	5 3/4	4 5/16	2 3/8	1/2	NB078		NB032	
1/2 gal.	7 1/2	5 5/8	2 11/16	5/8	NB075		NB029	
1 gal.	8 3/4	6 1/2	3 1/2	3/4	NB076		NB030	

NB078

## STEEL FUNNELS

- Suitable for use with tractors
- Galvanized steel funnel has 8 3/4" diameter and comes with a brass screen strainer
- Body height: 7 1/2"
- Spout height: 4 13/16"
- Spout diameter: 15/16"
- Capacity: 2 gallons

Model No. NA999  
Price/Each \$



NA999

## LIQUID MEASURES

### A. FLEXIBLE SPOUT

- Spill proof top
- Flexible spout makes it easy to reach difficult areas and hard to reach pouring angles
- Flexible spout length: 8"
- Spout diameter: 1/2"
- Available in tin, galvanized steel or stainless steel



A.

### B. OPEN TOP

- Available in tin, galvanized steel or stainless steel



B.

## NON-TILT STEEL FUNNELS

- Suitable for use with tractors
- Non-tilt feature allows funnel to remain upright when in use
- Galvanized steel funnel has 8 3/4" diameter, comes with brass screen strainer
- 15/16" spout diameter
- Capacity: 2 gallons

Model No. NB004  
Price/Each \$



NB004

Cap.	Tin Model No.	Dia." x H"	Price /Each	Galvanized Model No.	Dia." x H"	Price /Each	Stainless Model No.	Dia." x H"	Price /Each
<b>A. FLEXIBLE SPOUT</b>									
1 quart	NB082	4 1/4 x 4 3/4		NB035	4 x 5 7/16		NB056	4 x 5 7/16	
1/2 gallon	NB079	4 1/4 x 8 7/8		NB033	5 x 7 1/4		NB052	4 x 7 1/4	
1 gallon	NB081	6 x 9 3/4		NB034	6 x 9 3/4		NB054	6 x 9 3/4	
<b>B. OPEN TOP</b>									
1 quart	NB087	4 1/4 x 4 3/4		NB038	4 x 5 7/16		NB061	4 x 5 7/16	
1/2 gallon	NB083	4 1/4 x 8 7/8		NB036	5 x 7 1/4		NB057	4 x 7 1/4	
1 gallon	NB085	6 x 9 3/4		NB037	6 x 9 3/4		NB059	6 x 9 3/4	

Call our order desk for a quote when funnels & measures are to be used in food industry.

## RECIRCULATING PARTS WASHERS

- Safety lever has fusible link which shuts cover in case of fire
- Thermally protected 110 V motor and on/off switch
- Durable pump included
- 3-way filtration traps grime
- Flush hose delivers flow of solvent to rinse parts clean, quickly and easily



BV742



### 5 GALLONS

Capacity: 3.5 gallons  
Motor: 0.25 A  
Voltage: 110 V, 1 phase, 60 Hz  
Dimensions: 18 1/4" x 13 1/2" x 9"  
Height of stand: N/A  
Weight: 15 lbs.  
Model No. BV742\*  
Price/Each \$



BV743

### 20 GALLONS

Capacity: 12 gallons  
Motor: 0.25 A  
Voltage: 110 V, 1 phase, 60 Hz  
Dimensions: 30 1/2" x 21 1/4" x 10"  
Height of stand: 24 1/2"  
Weight: 55 lbs.  
Model No. BV743\*  
Price/Each \$



BV744

### 40 GALLONS

Capacity: 30 gallons  
Motor: 0.25 A  
Voltage: 110 V, 1 phase, 60 Hz  
Dimensions: 44 1/2" x 21 1/4" x 10 1/2"  
Height of stand: 24 1/2"  
Weight: 92 lbs.  
Model No. BV744\*  
Price/Each \$

## PARTS CLEANING BRUSHES

Recommended for cleaning motors, machinery and metal parts.



JACKSONLEA

BZ987



TEX274



Model No.	Brush Dia."	Overall Length"	Trim Length"	Qty /Pkg.	Price /Each
BZ987	1 1/8	11	2 3/4	12	
TEX274	1 7/8	37 3/8	3 1/2	1	

Brush Only: 10"

\*A material safety data sheet is required for purchase

# PARTS CLEANER

## POLYETHYLENE FILTER FUNNELS

- Made of chemical resistant polyethylene
- Screen filter included



NC991

Model No.	Dia."	Price/Each
YC564	5	
NC991	9	

## CLEANFUNNEL™ SYSTEM

- Prevents dirt, dust and other contaminants from collecting on the inside funnel wall and eliminates the need for cleaning before use



AA763

Model No.	Colour	Size	Length"	Spout"	Price /Each
AA763	Orange	1 pt.	13.5	0.5	
AA765	Dark Blue	1.25 qt.	10.5	0.75	
AA766	Dark Green	1.25 qt.	8.5	1	
AA767	Black	1.3 qt.	10.5	1.5	
AA768	Bright Red	1.5 qt	17 - flexible	0.5	
AA769	Yellow	1.5 qt.	14.25 - flexible	0.75	
AA770	Green	1.5 qt.	12.25 - flexible	1	
AA771	Red	1.6 qt.	14 - flexible	1.5	

## FUNNELS

- Translucent high density polyethylene construction
- Wire mesh screen keeps contaminants out
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Curved funnel ends make the funnel splash and spill proof



TYB517

## aurora tools®

Model No.	Diameter"	Capacity	Price /Each
TYB517	8	1.7 litres	
TYB518	9 1/2	3 litres	

## DIECAST ALUMINUM SCOOPS

- Bowl and handle cast in one piece for extra heavy-duty use
- Ideal for powders and granulated products



NG648

Model No.	Capacity	Bowl Length"	O.A. Length"	Price /Each
NG648	3/4 quart	7 3/4	11 1/4	
NG649	1 quart	9	13	
NG650	1 1/2 quart	10 1/2	15	

## LIQUID MEASURES

- Translucent high density polyethylene construction
- Comes complete with a polyethylene flexible spout for difficult to reach areas
- Cap on flexible spout and polypropylene lid renders measure spill proof
- Spout length: 7 1/2"
- Spout diameter: 3/4"



TYB514

## aurora tools®


Model No.	Capacity	Price /Each
TYB513	1 quart	
TYB514	2 quart	
TYB515	3 quart	
TYB516	5 quart	

## SMARTWASHER®

SMARTWASHER uses the process of **bioremediation** - the accelerated break down of organic compounds such as grease, grime, varnish, oil, carbon and other heavy industrial soils through the use of nonpathogenic microbes. The microbes, suspended in a fluid that re-circulates through the unit, literally **eat their way through soils**, converting them into harmless water and carbon dioxide (CO<sub>2</sub>). The solution remains clean and usable, unlike traditional solvent-based systems where the solution becomes dirty and less effective over time. Disposal becomes a non-issue, as hazardous waste streams are eliminated.

### JUST SAY NO!

- NO VOC Concerns
- No Toxic Solvents
- No Flash Point Fluid
- No Service Contracts
- No Hazardous Waste Hauling
- No Health and Safety Hazards





## SMARTWASHER® SYSTEMS

The SMARTWASHER System consists of a sturdy, impact resistant, self-contained washing unit with a flexible nozzle and brush that directs warmed cleaning fluid for parts washing. The fluid works in conjunction with a special microbe impregnated filter to effectively clean the dirtiest parts. Each unit requires 25 gallons of SMARTWASHER fluid and one filter for start-up.

### SMARTWASHER UNITS FEATURE:

- Flexible nozzle and brush
- Recirculating pump
- Low fluid indicator light/low fluid automatic shut-off
- Impact resistant construction
- Thermostat
- Energy efficient heater

### SMARTWASHER® 41

- Removable sink for easy cleaning
- Sink dimensions:  
20 cm H x 104 cm W x 61 cm D

Model No. AF127  
Mfg. No. 14144  
Price/Each \$



### SMARTWASHER® 28

- Removable sink for easy cleaning
- Sink dimensions:  
20 cm H x 71 cm W x 43 cm D

Model No. NH774  
Mfg. No. 14145  
Price/Each \$



### SMARTWASHER® MOBILE UNIT

- Built-in dolly allows for easy mobility
- Sink dimensions:  
20 cm H x 69 cm W x 58 cm D

Model No. AF128  
Mfg. No. 14161  
Price/Each \$



## SMARTWASHER® CLEANING SOLUTIONS

Aqueous, pH neutral, non-corrosive, non-flammable, biodegradable and contains no VOCs. Solutions work in conjunction with filters when warmed to 105°F by the units. All cleaning solutions are certified as Clean Air Solvents by the South Coast Air Quality Management District (SCAQMD).

- **Industrial Grade Cleaning Solutions:** Removes the toughest industrial soils with minimal odour; US EPA Design for Environment (DfE recognized)
- **Automotive & Ink Grade Cleaning Solution:** Removes printers ink and automotive carbon and varnishes
- **Specialty Metals Cleaning Solution:** Maximum strength, low odour formula removes soils from both ferrous and non-ferrous metals; perfect for use on all aircraft metals.



Model No.	Mfg. No.	Description	Container Size	Units /Case	NSF	Price /Each
AF129	14148	Industrial Grade Cleaning Solution	18 L Jug	1	A1	
AF130	14156	Automotive & Ink Grade Cleaning Solution	18 L Jug	1	A1	
AF131	14158	Specialty Metals Cleaning Solution	18 L Jug	1	A1	

## SMARTWASHER® FILTERS

Removes dirt and residue particles down to 50 microns. Filters must be used for proper cleaning and operation of SMARTWASHER System.

### MULTI-LAYER FILTER

- Three filters in one for heavy use applications
- Simply peel back and remove each layer as it becomes clogged to reveal fresh layer
- Extends working life of filter



Model No.	Mfg. No.	Description	Container Size	Units /Case	Price /Each
NH776	14147	Premium Filters	1 Case	6	

Types of Soil	AF129 Industrial Grade	AF130 Automotive & Ink Grade	AF131 Specialty Metals
Motor Oil	Excellent	Excellent	Excellent
Bearing Grease	Excellent	Fair	Excellent
Automotive Grease	Excellent	Good	Excellent
Impacted Grease	Excellent	Fair	Excellent
Asphalt	Good	Fair	Good
Creosote	Excellent	Fair	Excellent
Resin Products	Excellent	Good	Excellent
Hydraulic/Transmission Fluid	Excellent	Excellent	Excellent
Fifth Wheel Grease	Excellent	Fair	Excellent
Crude Oil	Excellent	Excellent	Excellent
Solder & Flux	Excellent	Excellent	Excellent
Automotive Varnish	Good	Excellent	Good
Burned-On Carbon	Excellent	Excellent	Good
Cutting Oils	Good	Excellent	Good
Ink/Toner	Good	Excellent	Good
Animal Fat	Excellent	Fair	Excellent