

SANDBLASTING & FUME EXTRACTORS

SANDBLAST MEDIA ABRASIVES

- All abrasives are sold in 50-lb. bags
- Other grades of abrasives also available
- Steel grit and steel bead also available



GLASS BEADS

A popular media used primarily for dimensionally sensitive applications where tolerance and finish are your main concerns. Perfect for re-moving medium to light contamination without causing dimensional change, over stressing, imbedding or pitting. Used widely by automotive rebuilders, die and mold makers in the plating and aerospace industries.

Model No.	US Screen	Application	Price/Each
TG392	20-30	Coarse	
TG393	30-40	Coarse	
TG394	40-50	Coarse	
TG398	50-70	Med. Coarse	
TG399	70-80	Medium	
TG400	70-100	Medium	
TG401	80-120	Fine	
TG402	100-170	Fine	
TG403	140-230	Fine	
BZ738	170-325	Fine	

ALUMINUM OXIDE

Highly aggressive abrasive. Ideal for applications where tough contamination is encountered and surface removal of 0.0005" to 0.08" is acceptable. Resulting finish is ideal for painting, plating and coating. Grit sizes range from #16 (coarse) to #220 (fine).

Model No.	Grit	Application	Price/Each
TG404	16	Coarse	
NP845	20	Coarse	
TG405	24	Coarse	
BZ740	30	Coarse	
BZ739	36	Coarse	
TG406	46	Med. Coarse	
BZ741	54	Med. Coarse	
TG407	60	Med. Coarse	
TG408	70	Medium	
TG409	80	Medium	
NP846	90	Medium	
TG410	100	Med. Fine	
NP847	120	Med. Fine	
TG411	150	Med. Fine	
TG412	180	Fine	
TG413	220	Fine	

JETMAG (SYNTHETIC OLIVINE PYROXENE SAND)

The only true substitute to sand (silica), JetMag offers excellent sanding quality and is cost/performance ratio is highly competitive. It allows faster cleaning and reduces consumption, therefore it offers greater productivity in enclosed work places. Because of its chemical and mineral composition, JetMag is a non-toxic material and environment friendly. Less than 1% free silica.

Model No.	Description	Application	Price/Each
NP848	16-60	16 Mesh	
NP849	30-60	24 Mesh	
NP850	35-70	40 Mesh	

PRESSURE ABRASIVE SANDBLASTERS

- Heavy-duty all steel construction
- Loading abrasive is made simple using the concave funnel top of the tank
- Safety pressure relief valve
- 1/2" (I.D.) x 8' abrasive feed hose
- Durable wheels and handle allow for easy mobility and flexible operation
- Includes media gun, 4 interchangeable nozzles (2, 2.5, 3 & 3.5 mm), water separator filter, protective blast hood and teflon tape
- 5 HP air compressor is recommended for optimal performance



Model No.	Mfg. No.	Tank Cap. gal.	Operating Pressure Range PSI	Required Compressor Output CFM	Max. Amount of Abrasive lbs.	Dimensions L' x W' x H"	Weight lbs.	Price /Each
TMA003	KSB-10	10	65-120	6-25	40	14 x 17 x 33 1/4	48	
TMA004	KSB-20	20	65-120	6-25	80	15 3/4 x 20 x 35	56	

SANDBLAST CABINETS

- Filtered fluorescent light
- Gun comes with different sized nozzles for different usage
- 2 rubber gauntlet gloves mounted in front



Model No.	BV745	BC894
Mfg. No.	KSB-110N-9	KSB-350
Fluorescent light	110 V	110 V
Maximum operating pressure	100 PSI	116 PSI
Required compressor output	5 CFM/PFM @ 80 PSI	15-25 CFM/PFM @ 40-80 PSI
Max. amount of abrasives	10 lbs.	35 lbs.
Cabinet dimensions	23" x 19" x 12" - 15"	37" x 26 3/4" x 17 1/2" - 25 1/2"
Dimensions (L x W x H)	23" x 19" x 19"	37" x 26 3/4" x 59"
Weight	36 lbs.	176 lbs.
Price/Each	\$	\$

ACCESSORIES

Model No.	Mfg. No.	Description	Price /Each
TEX180	KM-035	Replacement sandblast gun	
TJZ760	KM-036	Replacement ceramic nozzle (4/Pkg.)	
EA564	KM-097	Adhesive window protector for BV745 (5-pc. Kit)	
EA565	KM-098	Adhesive window protector for BC894 (5-pc. Kit)	



LIGHT INDUSTRIAL - ECONOBLAST SERIES SUCTION CABINETS

The Econoblast compact blast cleaning cabinet is offered in various convenient dimensions. These blast-cleaning cabinets are the most economical and versatile models available on the market. Built for occasional work, they are ideal for cleaning, finishing, deburring and etching. If you need an abrasive blasting cabinet and have a limited budget, the Econoblast will perform most tasks. for cleaning, deburring, stripping and deflashing.



SPECIFICATIONS:

- Dust bag standard - ventilation 400 CFM
- 1/3 HP, 3450 RPM, 115 V TEFC motor
- Natural latex gloves with nylon gauntlets
- Single door opening
- Window: 13" x 21" with plastic protector
- Halogen 250 W flood light
- Ceramic 5/16" nozzle, 5/32" air jet
- Trigger blasting control
- Will operate with a 5 HP industrial compressor
- 14-gauge expanded steel deck
- Convenient quick flush rubber plug
- Sturdy 13 gauge steel construction
- CSA approved
- Capacity: 300 lbs.
- Made in Canada
- Optional dust collector

Model No.	Dimensions"	Filtration Sq.Ft.	Price/Each
TG414	26 x 36	13	
NP839	26 x 36	50	
TG415	28 x 44	13	
NP840	28 x 44	50	
TG417	36 x 48	13	
NP842	36 x 48"	50	

SEMI-INDUSTRIAL - ECAB SERIES SUCTION CABINETS

The semi-industrial line of blast finishing cabinets is a mid-level line designed to deliver the same dependability and performance as the industrial units, but at a more economical price. Whatever the application, all that is necessary is an air compressor producing a minimum of 22 CFM, and several pounds of sandblasting media (glass beads, aluminum oxide, etc.). Use the semi-industrial Ecab cabinets for medium duty cleaning, etching, deburring, finishing, trimming, etc.



SPECIFICATIONS:

- Dust bag standard - Ventilation 400 CFM
- 1/2 HP, 3450 RPM, 115 V TEFC Motor
- Natural latex gloves with nylon gauntlets
- 13" x 21" window with plastic protector
- Single door opening
- 2 x 100 W halogen bulbs
- Ceramic 5/16" nozzle, 5/32" (34 CFM) air jet standard
- Foot pedal blasting control
- Regulator and gauge air control
- Adjustable louver air vent
- 1/8" perforated steel screen drawer
- Convenient rubber plug for quick flushing of recycler
- 14 gauge steel construction
- 3 1/2" diameter return hose
- Abrasive recycler included
- CSA approved
- Capacity: 300 lbs.
- Made in Canada

Model No.	Dimensions"	Filtration Sq.Ft.	Price/Each
TG419	26 x 36	13	
NP828	26 x 36	50	
NP829	28 x 36	100	
TG421	36 x 48	50	
NP833	36 x 48	100	

DUST COLLECTORS & DUST BAGS – SUCTION OR PRESSURE TYPE CABINETS

- Models **TG422** and **NP766** dust bags are standard dust filtration and reclamation system used with the Econoblast and Ecab series blast cleaning cabinets
- Model **TG418** dust collector is designed for medium duty blast cleaning operations
- Models **TG423** and **NP827** dust collectors are designed for heavy-duty applications and are the most efficient for preventing dust from escaping into the work environment and contaminating machines and work surfaces

Model No.	Description	Filtration Sq.Ft.	Motor HP	Fan CFM	Price /Each
TG418	Medium Duty Dust Collector	50	0.5	400	
TG423	Heavy-Duty Dust Collector	100	1	600	
NP827	Heavy-Duty Dust Collector	230	2	1200	
TG422	Dust Bag	13	0.33	400	
NP766	Dust Bag	30	1	600	



80-LB. CAPACITY PORTABLE BLASTER

- Ideal for light maintenance jobs on machinery and road equipment
- Requires minimum 5 HP air compressor to operate
- CSA approved, made in Canada
- Capacity: 1.0 cu.ft
- Includes: Blast hose 8' long (3.04 m) and 1/2" I.D. (12.7 mm), with fittings. Ceramic nozzle, 1/8" (3.1 mm) orifice. Protective washers for nozzle and fittings. **BZ689** protective hood with replacement visor. **BZ685** remote control system.

Model No. TJZ979
Piping: 1/2"
Total height: 39"
Tank diameter: 12"
Capacity: 80 lbs.
Weight: 45 lbs.
Price/Each \$



346® PORTABLE PRESSURE BLASTER

- Tank capacity of 4.1 cubic feet, 18" diameter
- Standard pressure release dead man control systems, for greater safety
- Abrasive metering valves will assure precise and easy control flow of abrasive
- Standard pneumatic dead man remote control system
- Convex top for built-in filling funnel
- Removable plunger with no threads
- Durable sealing plunger
- Extra low profile
- Large hand hole for easy access to inside of tank
- Lifting eyes
- Heavy duty piping
- Conical bottom
- Stabilizing support frame which eliminates wheel fatigue and pot tip over
- Large hard rubber wheels
- Air pressure gauge
- Water separator

TMA028 includes: Pneumatic sandblaster, 50' sandblasting hose, one tungsten carbide nozzle, Radex air purifier, 50' of air hose to feed air between air purifier and protective hood and Nova 2000 air supplied protective kit

TMA026 includes: 50' sandblasting hose and one tungsten carbide nozzle

TMA027 includes: Radex air purifier, 50' of air hose to feed air between air purifier and protective hood and Nova 2000 air supplied protective kit



Model No.	Mfg. No.	Description	Weight	Price/Each
TMA021	646101	Pneumatic Sandblaster Only	225 lbs.	
TMA026	734400	Portable Pressure Blaster Kit #1 (Sandblaster Not Included)	275 lbs.	
TMA027	735000	Portable Pressure Blaster Kit #2	300 lbs.	
TMA028	-	Portable Pressure Blaster Complete Kit	500 lbs.	



NP768



BZ715



TG425



BZ692



NP776



NP773



BZ694



NOZZLES FOR BLASTING GUNS

STRAIGHT BARREL W/ TAPERED BODY – 7/8" OD DIAMETER AT BASE, 1 1/4" LENGTH

Model No.	Description	Dimensions"	For cabinets	Price/Each
BZ691	Ceramic Nozzle	1/4	Econo	
BZ692	Ceramic Nozzle	5/16	Econo	
NP769	Tungsten Carbide Nozzle	1/4	Econo	

STRAIGHT BARREL W/ TAPERED BODY – 1 1/8" OD DIAMETER AT BASE, 1 3/8" LENGTH

Model No.	Description	Dimensions"	For cabinets	Price/Each
NP770	Ceramic Nozzle	1/4	Ecab, M	
NP771	Ceramic Nozzle	5/16	Ecab, M	
NP776	Ceramic Nozzle	3/8	Ecab, M	
NP772	Ceramic Nozzle	7/16	Ecab, M	
NP773	Tungsten Carbide Nozzle	1/4	Ecab, M	
NP774	Boron Carbide Nozzle	1/4	Ecab, M	
BZ694	Boron Carbide Nozzle	5/16	Ecab, M	
NP775	Boron Carbide Nozzle	7/16	Ecab, M	

ACCESSORIES FOR SUCTION CABINETS

BLAST GUNS & NOZZLES

Model No.	Description	Dimensions"	For cabinets	Price/Each
TG424	With Ceramic Nozzle	5/16	Econo	
TG425	With Ceramic Nozzle	5/16	Ecab, M	
NP823	With Boron Carbide Nozzle	5/16	Ecab, M	
BZ715	Gun Body Only	-	Econo	
BZ719	Gun Body Only	-	Ecab, M	

ACCESSORIES FOR SUCTION & PRESSURE CABINETS

Model No.	Description	Dimensions	Price/Each
NP768	Cabinet gloves – Leather Sleeves	30" x 8"	
BZ690	Cabinet gloves – Nylon Sleeves	30" x 8"	
BZ720	Replacement Laminated Window	22" x 14"	
BZ681	Replacement Plastic Shields	23 3/4" x 18 3/4"	
BZ682	Replacement Plastic Shields	20 3/4" x 12 7/8"	
BZ684	Plastic Pail White	23 Liters	
NP806	Blast Hose	I.D. 1/2", O.D. 1 3/16"	
NP807	Blast Hose	I.D. 3/4", O.D. 1 1/2"	
BZ699	Blast Hose Kit	NP806 and BZ700	
BZ700	Quick Connect Stem Coupling for NP806	-	
NP809	Quick Connect Stem Coupling for NP807	-	

SANDBLASTING & FUME EXTRACTORS

MOBILE FILTERS & MOBILE FILTERS ECO

- Mobile mechanical filter for welding fumes, grinding dust, etc
- Compact and flexible
- The extraction arm captures fume and dust at a distance of 30-50 cm (12-20") from the source and within an area of 0.5 m (20") diameter
- Black hood w/optimized airflow and ring handle and built in damper
- Flame proof PVC hose 160 mm (6.5") diameter
- This unit can also be fitted with an activated carbon filter which removes gases from polluted air

CONSTRUCTION:

- Unit made of powder painted steel sheet 16 ga.
- Fan 0,75 kW(1HP), 120 V, 1-phase, 2400 m³/hr (1400 CFM) free-blowing
- The unit filters 1250 m³/hr (700 CFM) through the hood
- Comes standard with 1-prefilter (spark-trap) and 1 washable (99% spun-bound polyester) cartridge filter (P-160)
- Active filter surface 14 m² (150+ ft²)
- Delivered complete with ON/OFF starter, cable, and plug
- Flameproof 6.5' PVC coated fibreglass hose
- **5-year limited warranty**

Model No.	Mfg. No.	Description	Price/Each
BA655	P-150/P-002	Mobile Filter w/2 m Extraction Arm	
BA656	P-150/P-003	Mobile Filter w/3 m Extraction Arm	
BA657	P-160	Replacement Filter Cartridge for BA655-BA656 (Cleanable with Compressed Air)	
BA659	P-160-W	Replacement Filter Cartridge for BA655-BA656 (Washable with Soap and Hot Water, Suitable for Oily Smoke)	
EA452	P-535/P-002	"Self Cleaning" Mobile Fume Extractor w/2 m Extraction Arm	
EA453	P-535/P-003	"Self Cleaning" Mobile Fume Extractor w/3 m Extraction Arm	
EA454	P-541	"Eco" Replacement Filter Cartridge for EA452-EA453 (Cleanable with Compressed Air)	



MOBILE FUME EXTRACTORS W/SELF CLEANING FILTERS

For direct capture of dust, smoke and fumes. Suitable for the following applications:

- Dry Particulates
- Welding Smoke
- Fumes
- Carbon Dust
- Plastic Dust
- Ceramic Dust
- Woodworking
- Fibreglass
- Textiles
- Rubber Dust
- Grinding Dust
- Powders
- Dry Chemicals
- Composites
- Cotton Dust
- Synthetics

Dirty air enters the cabinet from the hose and is directed vertically downward which results in a 180° turn at the bottom of the unit, causing separation of heavier particles into the removable dust pan. Second stage cartridge filter, traps the remaining particles with up to 99% efficiency.

SPECIFICATIONS:

Construction: 16-gauge steel cabinet finished with 2 part chemical and oil resistant paint. Includes Ultra-Seal® filter mounting system, removable access door to filters and direct drive motor/blower, 6.7' externally self-supporting E-Z Arm™ high flow pickup arm, 8" fixed front and 5" rear swivel casters, power cord, and on-off switch.

Weight: 255 lbs. Shipping weight 400 lbs.

Airflow: 1200 CFM with 1.5 HP motor

Noise: 70 dBA / 73 dBA 1.5 HP

Electrical: 1.5 HP 115/1/60

Filter Seal: Ultra-Seal® with positive sealing filter locking mechanism for all main filters, optional HEPA filter and adsorber modules (when used). Slide tracks shall be used for prefilters only.



Model No.	Mfg. No.	Description	Price /Each
BA710	PCH-1-1.5	Self Cleaning Mobile Filter w/2-m arm	
BA667	7FR02020	Replacement Filter Cartridge	
BA712	PCH-1-PG-5	0-5" Dial Pressure Gauge	

Note: Other extractors also available

FANS FOR FUME EXTRACTORS

- Powerful, silent, energy efficient fans provide even airflow with the lowest possible power consumption
- Extra bracket required for use with booms (use BA694 for 6.5" boom and EA456 for 8" boom)

Model No.	Mfg. No.	Voltage/ Phases/Amp	Free-Blowing		Nominal (At-The-Hood) CFM	Price /Each
			HP	CFM		
EA263*	P-149-1	115/1/60	1.0	1200	1 @ 700 CFM	
EA562	P-149	115/1/60	1.5	1200	1 @ 700 CFM	
BA683	P-152-1	115/1/60	1.5	1400	1 @ 1000 CFM	
BA689	P-152-2	208-230-460/3/60	2.0	1700	2 @ 600 CFM or 1 @ 900 CFM	
BA693	P-152-3	575/3/60	2.0	1700	2 @ 600 CFM or 1 @ 900 CFM	
EA264	P-154-1	208-230-460/3/60	3.0	1800	3 @ 600 CFM or 2 @ 900 CFM	
EA265	P-154-2	575/3/60	3.0	1800	3 @ 600 CFM or 2 @ 900 CFM	
EA266	LD-130-1	208-230-460/3/60	5.0	2000	4 @ 600 CFM or 3 @ 900 CFM	
EA267	LD-130-2	575/3/60	5.0	2000	4 @ 600 CFM or 3 @ 900 CFM	
EA268	LD-150-1	208-230-460/3/60	7.5	3000	6 @ 600 CFM or 5 @ 900 CFM	
EA269	LD-150-2	575/3/60	7.5	3000	6 @ 600 CFM or 5 @ 900 CFM	

*Complete with Plug & Play



FUME EXTRACTOR ARMS

- An extractor arm extracts smoke, dust and gases directly at the source, before the contamination has spread in the premises and been inhaled
- Superior extraction arm and advanced design "Parallelogram" counter balancing system that eliminates the need for continual adjustment of friction joints and allows for an unparalleled ease of movement
- Ideal solution for most "source-capture" applications and specifically recommended for applications requiring an "easy to position" extractor that does not require constant adjustment
- Compact and smooth design, excellent for areas with low ceiling
- **5-year limited warranty**

Flexi construction: Internal supporting mechanism made of mild steel tubing, 3 spring-assisted joints to provide precise counterbalancing of the extractor's inner and outer arm. Comes with a black baked-on enamel steel hood w/ optimized airflow and ring handle, and built in damper and with black baked-on enamel wall bracket. Motor and fan not included.

lev-co

EXTRACTOR ARMS

Description	Flexi I, 6.5" dia Model No.	Mfg. No.	Price /Each	Flexi II, 8" dia Model No.	Mfg. No.	Price /Each
7' (2 m) Extractor Arm w/Wall Bracket	BA660	P-007		BA978	P-143	
10' (3 m) Extractor Arm w/Wall Bracket	BA661	P-008		BA979	P-144	
14' (4 m) Extractor Arm w/Wall Bracket	BA662	P-009		BA980	P-145	
17' (5 m) Extractor Arm w/Wall Bracket	BA663	P-010		BA985	P-146	



H MAX F SERIES COMBOS

- Boom and extractor arm combos
- Combos specially developed for welding, mixing of chemicals, grinding, and other applications when you need to reach over long distances
- Hoses are made of flame proof PVC with internal steel spiral
- Comes with Super-Flex® horizontal arm with ball bearing, extractor arm, hood with ring handle and built-in damper, wall bracket, hose and hood
- Fan and motor not included

H MAX F SERIES COMBOS

Description	Model No.	Price /Each
20' Boom & Extractor Arm Combo	BA675	
28' Boom & Extractor Arm Combo	BA680	

WALL FLEX & WALL FLEX ECO

NEW SELF-CLEANING UNIT NOW AVAILABLE

- Used to "at-Source" capture and filter a variety of airborne contaminants such as fumes, dust and gases
- Recognized as an excellent solution for the specific demands filtering source captured contaminants, the wall flex comes complete with a cleanable or self-cleaning filter and fan

CONSTRUCTION:

- Unit made of powder coated 12-14-16 ga. sheet steel
- Fan 0.75 kW (1HP), 120 V, 1-phase, 2400 m³/hr (1450 CFM) free-blowing
- Capacity: 1250 m³/hr (730 CFM) (With extraction arm)
- Standard with 1-prefilter and 1 washable 99% main filter (99.5% @ .5 micrometers)
- Complete with ON/OFF motor starter and overload protection
- 3.5 m (12') cable and plug
- Reverse Pulse-Jet filter cleaning units include:
 - Spark-proof impeller
 - Motor out of the air stream
 - Removable dust drawer
- **5-year limited warranty**
- **Always refer to owners manual before operating this type of equipment**

FEATURES & BENEFITS:

- "All Steel design" (not including hose) - No plastic to bend, melt or otherwise lose shape & deform
- Compact wall mount design - Saves on floor space
- Washable or self-cleaning filters - Avoid high cost replacement filters
- Available w/pulse jet filter cleaning system - Save on time required to clean the filters

lev-co

Arm not included



Model No.	Mfg No.	Description	Price /Each
BA697	P-026/P-149/115V/1PH	Wall Mounted Filter w/115/1/60; 1.5 HP Fan	
BA657	P-160	Replacement Filter Cartridge for BA697, BA698 and BA699 (Cleanable with compressed air)	
BA659	P-160-W	Replacement Filter Cartridge for BA697, BA698 and BA699 (Washable with soap and hot water... Suitable for oily smoke)	
EA454	P-541	Replacement Filter Cartridge for EA462, EA463 and EA464 (Cleanable With Compressed Air)	

SANDBLASTING & FUME EXTRACTORS



PORTA-FLEX PORTABLE WELDING FUME EXTRACTORS WITH BUILT IN FILTER

- Suitable for welding in confined spaces or difficult to reach locations
- Perfect for service and repair work
- Efficient filtration
- The filter cartridge has long life and efficient filtration
- It is easy to change when it is full
- Uniquely easy to bring with you
- Porta-Flex has a weight of just 15kg
- It is extremely easy to carry with you as you roll the hose around the handle and fix the magnet nozzle to the outside of the filter box
- Two versions available
- Both come with flexible hose 2.5 m and filter cartridge is included with both



EA515, PORTA-FLEX 200 (1KW) 160M³/H

- EA515 comes standard with EA517 400 mm Porta-Flex nozzle
- Designed for use with the smokeless welding torches and lighter duty applications for collection of dust and smoke at the source
- Polluted air is drawn away and filtered through a 3-stage filtration system
- 28 lbs.

EA516, PORTA-FLEX 200 AUTO (1KW) 160M³/H & AUTOMATIC START/STOP .

- Collects dust and smoke at the source
- Polluted air is drawn away and filtered through a 3-stage filtration system
- The dual powered fan system assures consistent and effective performance
- The side selection of filter combinations allow the unit to be used in a variety of applications
- Comes complete with an "AUTO-START" control which turns on the collector when the welder strikes the arc.
- 28 lbs.

Model No.	Mfg. No.	Description	Price/Each
EA515	P-610	Porta-Flex 200 1-phase/1kW/115V/60Hz, 650(W)x250(D)x450mm(H)	
EA516	P-614	Porta-Flex 200 Auto 1-phase/1kW/115V/60Hz with automatic start/stop	
EA517	P-615	400mm Porta-Flex Nozzle with Magnetic Base	
EA518	P-616	300mm Porta-Flex Nozzle with Magnetic Base	
EA519	P-617	200mm Porta-Flex Nozzle with Magnetic Base	
EA520	P-618	80mm Porta-Flex Nozzle with Magnetic Base	
EA521	P-619	Replacement Main Filter for the Porta-Flex	
EA522	P-620	Replacement HEPA Filter for the Porta-Flex	



POWER CAT® PORTABLE BLOWERS

- Provides the extra power to tackle tough, industrial jobs
- Unique portable blower can be used for ventilating, cooling and heating the work space
- Removes fumes and smoke created during welding through addition of accessories
- Choice of 300 CFM model blower, or variable 1120/877 CFM unit
- Fitted with a duplex receptacle featuring 25', heavy-duty grounded extension cord
- 120 Volt/60 Hz motor
- Accessories sold separately



Model No.	Mfg No.	Blower	Lamp	Receptacle	Price /Each
EA090	A300	300 CFM	40 Watts	Duplex, Grounded	
EA091	1200XL	High Speed – 1120 CFM Low Speed – 877 CFM	N/A	Duplex, Grounded Weather-Resistant	

Model No.	Mfg. No.	Description	Price /Each
FOR MODEL EA090			
EA092	300DA	Duct accessory. 10' x 5" flexible duct with exhaust adaptor. Use to extend EA094 in 10' increments.	
EA093	300EXT	Extension accessory. 10' x 6" flexible duct with connecting sleeve and clamp. Use to extend EA092 and EA094 in 10' increments.	
EA094	300IA	Intake accessory. 10' x 6" flexible duct with quick-mount fittings at both ends.	
EA095	300FE	Welding Fume Exhaust Nozzle. Clamps to EA094 to direct intake of welding fumes.	

Model No.	Mfg. No.	Description	Price /Each
FOR MODEL EA091			
EA096	1200EA	Extension accessory. Easily attaches to connect EA098 to unit.	
EA097	1200IA	Intake Adaptor. Quick-mount fitting to attach duct to unit.	
EA098	1200FD	Flexible Duct. 10' x 8" duct to be used with either EA096 or EA097.	
EA099	1200DC	Duct Coupling. Clamp-on connector for additional EA098 ducts.	
EA100	1200FE	Welding Fume Exhaust Nozzle. Clamps to EA098 for extraction of welding fumes.	





WELDING EQUIPMENT & SUPPLIES

